

```

CCCCCCCCCCCCC LLL DDDDDDDDDDDDDDD
CCCCCCCCCCCCC LLL DDDDDDDDDDDDDDD
CCCCCCCCCCCCC LLL DDDDDDDDDDDDDDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCC DDD DDD DDD DDD DDD DDD DDD DDD
CCCCCCCCCCCCC LLLLLLLLLLLLLLLLLL DDDDDDDDDDDDDDD
CCCCCCCCCCCCC LLLLLLLLLLLLLLLLLL DDDDDDDDDDDDDDD
CCCCCCCCCCCCC LLLLLLLLLLLLLLLLLL DDDDDDDDDDDDDDD

```

```

CCCCCCCCC LL DDDDDDDDD
CCCCCCCCC LL DDDDDDDDD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CCCCCCCCC LLLLLLLLLL DDDDDDDDD
CCCCCCCCC LLLLLLLLLL DDDDDDDDD

```

Version: 'V04-000'

```
define verb reply
  image reply
  parameter p1,prompt="Text"

  qualifier abort          value(required,type=$number)
  qualifier all
  qualifier bell
  qualifier blank_tape     value(required,type=$number)
  qualifier disable        value(list)
  qualifier enable         value(list)
  qualifier initialize_tape value(required,type=$number)
  qualifier log
  qualifier node           value(list)
  qualifier notify        default
  qualifier pending       value(required,type=$number)
  qualifier shutdown
  qualifier status
  qualifier temporary
  qualifier terminal       value(list,required)
  qualifier to            value(required,type=$number)
  qualifier urgent
  qualifier username       value(list)
  qualifier wait

  disallow (any2 (abort, all, blank_tape, disable, enable, initialize_tape,
    log, pending, status, terminal, to, username))
  disallow (any2 (bell,
    abort, blank_tape, disable, enable, initialize_tape,
    log, pending, status, to))
  disallow (any2 (notify,
    abort, blank_tape, disable, enable, initialize_tape,
    log, pending, status, to))
  disallow (any2 (shutdown,
    abort, blank_tape, disable, enable, initialize_tape,
    log, pending, status, to))
  disallow (any2 (urgent,
    abort, blank_tape, disable, enable, initialize_tape,
    log, pending, status, to))
  disallow (any2 (wait,
    abort, blank_tape, disable, enable, initialize_tape,
    log, pending, status, to))
  disallow (shutdown and urgent)
  disallow (temporary and not enable)

define verb request
  image request
  parameter p1,prompt="Text"
  qualifier reply
  qualifier to          value(required,list)
```


0046 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY